




*Truth Is The Only
Path In The World*



CIC Plast

Since 1984

Engineering Polymer Compounds





CIC Plast
Since 1984

*Truth Is The Only
Path In The World*

Compounds

High Density Polyethylene Rotational Molding

Type	HDPE. Rotational Molding
Code	HDPE - 3840 UA
Color	Based on customer demand
MFI ^{190° C} 2.16kg	4
Density	0.94
Applications	Scpetic tanks, Large agricultural tanks, Toys, Potable water tanks



High Density Polyethylene Extrusion

Type	HDPE. Extrusion	HDPE. Extrusion	HDPE. Extrusion
Code	HDPE EX3	HDPE CRP 100	HDPE 5000S
Color	Natural	Natural	Natural
MFI	0.5 (190°C / 5kg)	0.25 (190°C / 5kg)	0.8 (190°C / 2.16kg)
Density	0.98	0.97	0.94
Applications	Pipe Extrusion PE100 Class, Injection moulding and other Fit things, Pressure Pipe, sewer pipes and their fittings	Drinking water and gas pipes, Discharge pipes	Fishing net, Agricultural net, Rope, Woven sack, Tarpaulin





CIC Plast
Since 1984

*Truth Is The Only
Path In The World*

Compounds

Polyethylene Injection Molding Compounds

Type	HDPE Injection	HDPE Injection	HDPE Injection	HDPE Injection	HDPE Injection	HDPE Injection	HDPE Injection
Code	HDPE - 5030A	HDPE - 6040	HDPE - 54B04	HDPE - HI500	HDPE - 62N07	HDPE - 52518	LDPE - 1922 T
Color	Natural	Natural	Natural	Natural	Natural	Natural	Natural
MFI ^{190° C} 2.16kg	2	3.5	4	5	7	18	22
Density	0.96	0.96	0.96	0.96	0.96	0.96	0.96
Applications	Caps, Closures	Large dustbins and pallet, Storing cases, Shipping container	Caps and Closures, Boxes, Seats	Large dustbins and pallet, Boxes	House Holdware, Pallet, Seats, Crates	House Holdware, Thin Walled Foam, Containers, General Purpose	Caps, Household articles, Caps





CIC Plast
Since 1984

*Truth Is The Only
Path In The World*

Compounds

High Density Polyethylene Blow Molding

Type	HDPE. Blow Molding	HDPE. Blow Molding	HDPE. Blow Molding
Code	HDPE 0035	HDPE BL3	HDPE HBM 5510
Color	Natural	Natural	Natural
MFI	0.9 (190°C / 2.16 kg)	1.8 (190°C / 5 kg)	10 (190°C / 2.16 kg)
Density	0.98	0.98	0.98
Applications	Small containers from 10 cc to 20 lit, Mild and distilled water, motor oil, toiletries	Small containers ranging from a few ml up to 10 lit, sheets for thermoforming	Jerry Cans, Drums





CIC Plast
Since 1984

*Truth Is The Only
Path In The World*

Compounds

High Density Polyethylene Blown Film

Type	HDPE. Blown Film	HDPE. Blown Film
Code	HDPE - F7000	HDPE - EX5
Color	Natural	Natural
MFI	0.04 (190°C / 2.16 kg)	0.2 (190°C / 5 kg)
Density	0.96	0.96
Applications	Disposable gloves, Ultra- Thin Film, Food & Fruit Bags, Trash Bags	Film Extrusion, Wrapping Films, Carrier Bags, Counter Bags



Low Density Polyethylene Blown Film

Type	LDPE. Blown Film	LDPE. Blown Film	LDPE. Blown Film	LDPE. Blown Film	LDPE. Blown Film
Code	LDPE - 2420 D	LDPE - 2420 H	LDPE - LF190 2119	LDPE - 0075	LDPE - 020
Color	Natural	Natural	Natural	Natural	Natural
MFI ^{190° C} 2.16kg	0.25	1.8	1.7	0.6	1.9
Density	0.94	0.94	0.94	0.98	0.93
Applications	Shrink Film, Bottle for consumer Goods, Bags and Pouches, Blown Film	Bags, Pouches, Blown Film, Cast and Shrink Film	General Purpose Films, Laminations	Carrier Bags, Packaging Bags, Dust bin Liner, Industrial Film	General Purpose Bags, Industrial Injection Molding, Blown Film, Packaging





CIC Plast
Since 1984

*Truth Is The Only
Path In The World*

Compounds

Linear Low Density Polyethylene Blown Film

Type	LLDPE. Blown Film	LLDPE. Blown Film	LLDPE. Blown Film
Code	LLDPE 209 AA	LLDPE 235 F6	LLDPE 22B02
Color	Natural	Natural	Natural
MFI ¹⁹⁰ / _{2.16kg}	0.9	0.6	1.8
Density	0.94	0.94	0.94
Applications	Heavy duty sacks. Agricultural Films, Liners, product Bags, Stretch film	Agricultural Films, Packaging, Tapes, Shirink Film	High stiffness blown and Cast Films, Suitable for blending and Lamination



Acrylonitrile Butadiene Styrene (ABS)

Type	ABS Injection	ABS Injection
Code	ABS 150	ABS N50
Color	Natural	Natural
MFI	1.5 (190°C / 5 kg)	0.2 (190°C / 35 kg)
Density	0.93	0.94
Applications	Home Appliance, Office Equipment, Automotive Parts, Electronic and Electrical Parts, Refrigerator Parts	Home Appliance, Office Equipment, Automotive Parts, Electronic and Electrical Parts, Refrigerator Parts





CIC Plast
Since 1984

*Truth Is The Only
Path In The World*

Filler Masterbatch

Calcium Carbonat Masterbatch (PE Base)


Type	CaCO3 Filler	CaCO3 Filler	CaCO3 Filler
Code	PE 80N	PE 70N	PE 65N
Moisture	≤ % 0.3	≤ % 0.3	≤ % 0.3
Color	Natural	Natural	Natural
Ash Content	%80±3	%70±3	%65±3
Carrier	LLDPE	LLDPE	LLDPE
Applications	Blown Films, Blow Molding, Injection Molding (We suggest more than %40 additional)	Blown Films, Blow Molding, Injection Molding (We suggest more than %50 additional)	Blown Films, Blow Molding, Injection Molding (We suggest more than %50 additional)





Masterbatch

Engineering Masterbatch				
Type	Anti-Oxidant Masterbatch	Slip Agent Masterbatch	Optical Brightener Masterbatch	Process Aids (PPA) Masterbatch
Code	MB AO	MB SA	MB OB	MB PA
Color	Translucent	Translucent	Optical Green	Milky-white granulates
MFI ^{190° C} 2.16kg	5	15	15	2-3
Density	0.95	0.9	0.95	0.92
Applications	Different size pipes, Agriculture films, Packing films, suitable for using in HDPE, LDPE, LLDPE, PP	Packing films	Recycled material production, Injection molding part, Packing films	reduces the melt fracture or shark skin effect during the process of LLDPE/LDPE/HM-HDPE by extrusion process.



White Masterbatch				
Type	White Masterbatch For Films	White Masterbatch For Films	White Masterbatch For Films	White Masterbatch For Films
Code	MBW 70	MBW 60	MBW 50	MBW 40
Color	White	White	White	White
TiO2 Content	70%	60%	50%	40%
Carrier	LDPE	LDPE	LDPE	LDPE
Applications	Blown Films, Blow Molding, Injection Moldings	Blown Films, Blow Molding, Injection Moldings	Blown Films, Blow Molding, Injection Moldings	Blown Films, Blow Molding, Injection Moldings






CIC Plast
Since 1984

*Truth Is The Only
Path In The World*

Notes:

Date:

 +98 910 234 1376

 info@CICPLAST.com

 www.CICPLAST.com

Scan to download
the Product Catalogs

